

RAS MINIBENDCENTER 79.05

Technische specificaties onder voorbehoud van typfouten en gebaseerd op fabrieksgegevens nieuwe machine. Leveringsvoorwaarden van Frimach metaalbewerkingsmachines B.V. op aanvraag beschikbaar. © Frimach metaalbewerkingsmachines B.V.



EXTRA INFORMATIE

Kapazität	3 mm
Typ	MiniBendCenter 79.05
Marke	RAS
Neu in	2015
Preis	Auf Anfrage
Status	Zu verkaufen

PRODUCT BESCHRIJVING

Refurbished RAS MiniBendCenter 79.05

Technical data

Board length: 50–600 mm

Board width: 40–600 mm

Sheet thickness max. (400 N/mm²) depending on tool: 3,0 mm

Upper cheek stroke max: 500 mm

Smallest leg height Standard value depends on tool: 5 mm x s

Maximum leg height: 127 mm

Weight of bending cell: 10 tons

Weight of cladding and electrics: ca. 2027 kg

Weight of machine elements: ca. 945 kg

Motor operation: 400V, 50/60 Hz, 3-Ph

Year of construction: 2015

Condition: refurbished—good used condition

Bending cell:

Automatic sheet thickness adjustment

Automatic tool clamping

Blank scanner

Main manipulator:

3 servomotors for X,Y,Z

1 servo motor for lower rotary axis + separate drive for rotary axis

Technische specificaties onder voorbehoud van typfouten en gebaseerd op fabrieksgegevens nieuwe machine. Leveringsvoorwaarden van Frimach metaalbewerkingsmachines B.V. op aanvraag beschikbaar. © Frimach metaalbewerkingsmachines B.V.



Double sheet detection

Tool changer:

3 servomotors for X,Y,Z

1 pneum. Swivel drive for rotary axis

Tool gripper

Tool magazine on 2 levels

Automatic tool clamping in the tool magazine

Cladding:

Bending cell front and rear

Movable control panel:

18" Touch & More control unit

Pallet station:

Roller conveyors and heavy-duty chain conveyors

1 space for new pallets (parts that are being processed)

1 space for "pallet in process"

2 spaces for finished pallets (empty or with remaining quantity)

Additional equipment:

Intelligent charging robot

Combined camera-scanner system

Analysis software

Transfer table, Sauerfeld (52x9mm) suction cup series (7x20mm)

Conveyor curve belt with 6 connection stations

Cladding finished part output


Complete tool set

RAS CAM-Office software incl. SolidWorks license and maintenance contract for 2 years

This high-quality used RAS MiniBendCenter 79.05 offers you proven quality at an attractive price and is available directly from the manufacturer. It is a fully automatic bending center specifically designed for the efficient processing of small parts. It comes with a manufacturer's warranty, maintenance included, and the latest software version. With advanced technology such as automatic sheet thickness adjustment, an intelligent loading robot, and a powerful control system, it optimizes your production and reduces costs. Benefit from high flexibility and fast amortization through automated processes and versatile configuration.

Technische specificaties onder voorbehoud van typfouten en gebaseerd op fabrieksgegevens nieuwe machine. Leveringsvoorwaarden van Frimach metaalbewerkingsmachines B.V. op aanvraag beschikbaar. © Frimach metaalbewerkingsmachines B.V.





Technische specificaties onder voorbehoud van typfouten en gebaseerd op fabrieksgegevens nieuwe machine. Leveringsvoorwaarden van Frimach metaalbewerkingsmachines B.V. op aanvraag beschikbaar. © Frimach metaalbewerkingsmachines B.V.

